NDIANA TO THE TRANSPORT OF TRANSPORT

INDIANA DEPARTMENT OF TRANSPORTATION

STANDARDS COMMITTEE MEETING

Driving Indiana's Economic Growth

APPROVED MINUTES

December 18, 2008 Standards Committee Meeting

MEMORANDUM

January 26, 2008

TO: Standards Committee

FROM: Mike Milligan, Secretary

RE: Minutes for the December 18, 2008 Standards Committee Meeting

The Standards Committee meeting was called to order by the Chairman at 9:03 a.m. on December 18, 2008 in the N755 Bay Window Conference Room. The meeting was adjourned at 11:35 a.m.

The following members were in attendance:

Mark Miller, Chairman
Dennis Kuchler, Constr. Mgmt.
Ron Heustis, Constr. Mgmt.
Scott Trammell*, Highway Ops.
Ron Walker, Materials Mgmt.
Tom Caplinger, Crawfordsville Dist.

Dave Andrewski, Pvmt. Engineering Mike Beuchel**, Contract Admin. John Wright, Roadway Services Anne Rearick, Structural Services Joe Novak***, Constr. Mgmt.

*Proxy for Mike Bowman **Proxy for Bob Cales ***Proxy for Jim Keefer

Also in attendance were the following:

Mike Milligan, Secretary
Bill Knopf, Asphalt Pvmt. Assoc.
Tony Uremovich, INDOT
Alfredo Hanza, INDOT
Prakash Patel, INDOT
Jim Reilman, INDOT
Kumar Dave, INDOT

Steve Fisher,INDOT Greg Richards, INDOT Mike Byers, ICPA Robert Dirks, FHWA Tom Duncan, FHWA Paul Berebitsky, ICA

6

A. GENERAL BUSINESS ITEMS

OLD BUSINESS

(No items on this agenda)

NEW BUSINESS

- 1. Approval of November 20, 2008 Minutes Approval of the Nov 20, 2008 minutes is pending revisions to be made to agenda items 08-15-2, 08-15-12 and 08-15-16. The final minutes will be distributed to the Committee members for approval via e-mail.
- 2. Mr. Miller noted that specification sub-committees should not continue to meet just to look for potential specification changes without a specific agenda, preferably approved or assigned by the Standards Committee. Specification sub-committees should focus on cost reduction measures and reduction of recurring special provisions, not just minor changes.
- 3. A request was submitted by Mr. Caplinger to consider the timing of release of revisions to recurring special provisions and the menu for the provisions. This has caused some confusion and added work by designers in an effort to submit the latest version of the RSP menu at time of Final Tracings. Designers are being told that failure to submit the latest version, whether it affects their contract or not, will result in lower evaluation of the designer by the contracts section.

A schedule will be considered for revisions to RSPs and the menu, possibly 4 times per year. Mr. Heustis will talk with Contracts to better understand the reasons for lower evaluations due to menu versions.

B. CONCEPTUAL PROPOSAL ITEMS

OLD BUSINESS

(No items on this agenda)

NEW BUSINESS

- Design Manual Revision Minimize the number of overhead structures to support signage for two-way, left-turn lanes (TWLTO).
- 2. Indiana Design Manual Chapter 52
- 3. Indiana Design Manual Chapter 77 7

C. RECURRING SPECIAL PROVISIONS PROPOSED ITEMS

(No items on this agenda)

D. STANDARD SPECIFICATIONS AND STANDARD DRAWINGS PROPOSED ITEMS

OLD BUSINESS

(No items on this agenda)

NEW BUSINESS

Item 08-16-1 711.04 Action:	Mr. Heustis Certification of Fabricators Passed as revised	10
Item 08-16-2 Standard Drawing Action:	Mr. Heustis 801-TCDV-02 Passed as submitted	13
Item 08-16-3	Mr. Heustis	16
801.10.1	Construction Zone Energy Absorbing Terminal, CZ	
Action:	Passed as revised	
Item 08-16-4	Mr. Wright	18
Standard Drawings	802-SBTS-01 thru 19	
Action:	Withdrawn	
Item 08-16-5	Mr. Wright	42
910.19	Overhead Sign Structures	
910.19(a)	Aluminum Overhead Sign Structures,	
	Box Truss and Bridge Attached	
910.19(b)	Steel Overhead Sign Structures, Box Truss, Cantilever, Monotube, and Bridge Attached	
Action:	Withdrawn	

cc: Committee Members (11)
FHWA (2)

Mr. Wright Date: 12/18/08

CONCEPTUAL PROPOSAL ITEM

1. Design Manual Revision - Minimize the number of overhead structures to support signage for two-way, left-turn lanes (TWLTO).

CONCEPTUAL

PROPOSAL TO STANDARDS COMMITTEE

PROBLEM(S) ENCOUNTERED: Cost Saving idea - Minimize the number of overhead structures to support signage for two-way, left-turn lanes (TWLTO).

PROPOSED SOLUTION: Revise the Design Manual for better guidance

APPLICABLE STANDARD SPECIFICATIONS: N/A

APPLICABLE STANDARD DRAWINGS: N/A

APPLICABLE DESIGN MANUAL SECTION: 75-3.07

APPLICABLE SECTION OF GIFE:N/A

Submitted By: John Wright

Title: Roadway Services Manager

Organization: INDOT

Phone Number: 232-5147

Date: 11/20/08

ACTION: Conceptual proposal was approved by the Committee with FHWA concurrence.

-3(2) HIGHWAY SIGNS July 1997

75-3.06 Right-Turn Only Signs

When an exclusive right-turn only lane is provided, the use of an overhead sign should be considered where background clutter may be a problem. If background clutter is not a problem, ground-mounted signs may be as visible and more cost effective.

75-3.07 Two-Way Left-Turn Only (TWLTO) Signs

Overhead lane control signs should be provided at the beginning and end of the two-way, left-turn lanes and in urban areas approximately every 300 m in between. In suburban and built-up rural areas, the intermediate TWLTO sign spacing may be increased but normally not greater than 400 m. For the beginning and end, the supplementary words BEGIN and END should also be included. TWLTO signs should also be used on the back side of a LEFT TURN ONLY sign where a two-way, left-turn lane is transitioned into a one-way, left-turn lane. The supplementary BEGIN and END words are typically not included for this situation. Section 76-2.05(02) illustrates the pavement markings used for this transition.

The Department prefers to install these signs Ground Mounted only. If the Designer or District Traffic deems necessary, signs can be installed on an overhead structure.

The Department's preferred practice is to mount the overhead signs on cantilever supports, if feasible; if not, cable supports may be used. Supplemental post mounted signs are not necessary.

75-3.08 Do Not Pass Signs

The beginning of the no-passing zone is normally marked with a NO PASSING ZONE pennant on the left side of the roadway. The end of the zone is normally indicated with a sign post with three white delineators attached which is installed on the right side of the roadway. No-passing signs are not required at those zones marked because of railroad crossings, at most intersections or in urbanized areas.

75-3.09 Parking Signs

Part VII - Traffic Design

Regulatory Signs

Mr. Andrewski Date: 12/18/08

CONCEPTUAL PROPOSAL ITEM

2. Indiana Design Manual - Chapter 52

CONCEPTUAL

PROPOSAL TO STANDARDS COMMITTEE

PROBLEM(S) ENCOUNTERED: Indiana Design Manual Chapter 52 was in need of revisions to include the Mechanistic Empirical Pavement Design Guide, MEPDG and to incorporate various updates and revisions.

PROPOSED SOLUTION: David Andrewski, Manager, Office of Pavement Management, will brief the Standards Committee on the revised Indiana Design Manual Chapter 52 for informational purposes.

APPLICABLE STANDARD SPECIFICATIONS:

APPLICABLE STANDARD DRAWINGS: This will cause a change to spacing of D-1 joints and the Standard Drawings will need to be revised accordingly.

APPLICABLE DESIGN MANUAL SECTION: Chapter 52

APPLICABLE SECTION OF GIFE:

APPLICABLE RECURRING SPECIAL PROVISIONS:

Submitted By: David Andrewski, P.E.

Title: Manager, Office of Pavement Mgmt.

Organization: INDOT

Phone Number: 317-232-5452

Date: November 26, 2008

APPLICABLE SUB-COMMITTEE ENDORSEMENT?IDM Chapter 52 Revision Task Groups, Pavement Steering Committee

ACTION: The concept was approved conditionally by the Committee with the understanding that concerns by the Office of Pavement Preservation will be addressed, that FHWA concerns about a written implementation plan will be addressed, and that the final version will be reviewed and approved by the Executive staff. FHWA concurred with the conditional approval.

Mr. Bowman
Date: 12/18/08

CONCEPTUAL PROPOSAL ITEM

3. Indiana Design Manual - Chapter 77

CONCEPTUAL

PROPOSAL TO STANDARDS COMMITTEE

PROBLEM(S) ENCOUNTERED: Indiana Design Manual Chapter 77 was in need of revisions to incorporate various updates and revisions.

<u>PROPOSED SOLUTION:</u> Greg Richards, Division of Traffic Control Systems, will brief the Standards Committee on the revised Indiana Design Manual Chapter 77 for informational purposes.

APPLICABLE STANDARD SPECIFICATIONS:

APPLICABLE STANDARD DRAWINGS:

APPLICABLE DESIGN MANUAL SECTION: Chapter 77

APPLICABLE SECTION OF GIFE:

APPLICABLE RECURRING SPECIAL PROVISIONS:

Submitted By: Carl Tuttle, P.E. (thru Mike Bowman)

Title: Manager, Traffic Engineering.

Organization: Division of Highway Operations

Phone Number: 317-233-4726

Date: November 26, 2008

APPLICABLE SUB-COMMITTEE ENDORSEMENT?

ACTION: The conceptual proposal was approved by the Committee with concurrence from the FHWA.

Summary of Revisions to Chapter 77, Traffic Signals

1. Chapter-wide Changes

- · Corrections for agency changes due to reorganization.
- · General updating and removal of obsolete information.

2. Definitions

· Added items to the list and modified some definitions

3. Signal Warrants

Changed to match warrants in 2003 MUTCD.

4. Preemption

- Updated requirements for railroad preemption.
- · Added additional details regarding design of railroad preemption.

5. Signal Display

Changed to specify LED signal indications.

6. Signal Displays- Multiple & Supplemental heads

- . Multiple left turn lanes, one head per lane shall be provided
- · Changed to recommend supplemental heads if 3 or more through lanes

7. Signal Head Placement Figures

· Additional example cases were added at districts' request.

8. Signal Head Placement Distance

- At least one and preferably both of the two signal faces required for the major movement on the approach shall be between 40' and 180' from the stop line.
- If the nearest signal head is located between 150 and 180' from the stop line, a near side head may be considered.

9. Vision Cone

Changed from previous figure- shows vision cone from center of approach- including parking lane. Matches 2003 MUTCD.

10. Pedestrian Indication Warrants

Reference standards in the 2003 MUTCD.

11. Phase Numbering and Conventions

Standardized phase numbering and conventions.

12. Lead/Lag Left Turns

INDOT's emphasis on retiming and maintaining coordinated systems has encouraged the use of lagging left turns where they
promote progression through a signal system.

13. Assignment of Right-of-Way

· All-red flash.

14. Phase Change Interval

- Strengthened language for use of ITE clearance intervals- designers should use for analysis.
- · Required for signal timings

15. Indecision Zone

- · Revised definition and changed terminology from "dilemma zone" to "indecision zone"
- Type I Dilemma zone- caused by short clearance intervals- no longer an issue since ITE clearance intervals for amber and red are used.
- Indecision zone, or Type Il Dilemma zone- caused by differences in driver behavior. When presented with a yellow indication, do they stop or go?
- Beginning of Indecision zone: distance from the stop line beyond which 90% of drivers would stop; end is a distance from
 the stop line where only 10% of all drivers would stop.

16. Count Loops

· Added design information for count loops

SPECIFICATION REVISIONS

PROPOSAL TO STANDARDS COMMITTEE

PROBLEM(S) ENCOUNTERED: Currently the 711.04 specification section includes a category of AISC certification that is no longer valid. Also there is some ambiguity regarding whether or not a fabricator needs to be certified.

PROPOSED SOLUTION: Modify the 711.04 section to update the categories of
AISC certification to current AISC requirements

APPLICABLE STANDARD SPECIFICATIONS: 711.04

APPLICABLE STANDARD DRAWINGS: None

APPLICABLE DESIGN MANUAL SECTION: None

APPLICABLE SECTION OF GIFE: None

APPLICABLE RECURRING SPECIAL PROVISIONS: None

Submitted By: Ron Heustis (for Jim Reilman)

Title: Manager, Office of Construction Technical Support

Organization: INDOT

Phone Number: 317-234-2777

Date: December 9, 2008

APPLICABLE SUB-COMMITTEE ENDORSEMENT? None. Proposed changes believed to be editorial in nature.

Item No. 08-16-1 Mr. Heustis

Mr. Heustis
Date: 12/18/08

REVISION TO 2008 STANDARD SPECIFICATIONS

SECTION 711, BEGIN LINE 50, DELETE AND INSERT AS FOLLOWS:

711.04 Certification of Fabricators

The fabricator of structural steel furnished under this section shall be certified in accordance with the American Institute of Steel Construction (AISC) and Quality Ccertification Pprogram (Category III) before the fabricator will be permitted to fabricate a welded plate girder. It shall be the fabricator's responsibility to maintain a valid certification and annual endorsements thereto.

Fabricators of main load-carrying components for multi-span bridges that have welded or bolted splices shall be certified under the AISC Mmajor Steel-Bbridges (CBR) category. Fabricators of fracture critical members shall be certified under the CBR category and shall have the fracture critical endorsement. Fabricators certified as CBR are also certified to fabricate simple and continuous rolled beam structures. Only fabricators meeting the above requirements shall be used to fabricate girders using high performance steel.

Fabricators of main load-carrying components for simple span bridges or bridges that do not have welded or bolted splices shall, as a minimum, be certified under the AISC Ssimple Ssteel Bbridges Sstructures (SBR) category.

If the fabrication of secondary structural steel members and other miscellaneous structural steel components, such as but not limited to diaphragms, bearing assemblies, and miscellaneous plates does not involve any welding or heating of the steel, the fabrication facility that is fabricating these components will not be required to be AISC certified as described in this section.

Only fabricators meeting the requirements of the AISC Quality Certification Program, "Major Steel Bridges (Cbr)" with "Fracture Critical Members Endorsement (F)", or approved equal, may be used to fabricate girders using high performance steel. Prior to approval for fabrication, the results of the latest AISC certification review shall be made available to the Engineer to determine if items critical to successful fabrication meet the needs of the specific work.

Item No. 08-16-1 (contd.)

Mr. Heustis
Date: 12/18/08

REVISION TO 2008 STANDARD SPECIFICATIONS

SECTION 711, CONTINUED.

COMMITTEE COMMENTS:

 $\operatorname{Mr.}$ Reilman passed out a one page handout with revisions to this item.

Other sections containing	Motion: Mr. Heustis	3
specific cross references:	Second: Mr. Beuchel	-
	Ayes: 10	
None	Tays: 0	
	Action: Passed as r	revised
Recurring Special Provisions	<u>x</u> _ 2010 Standard S	Specifications Book
affected:		
		O (No)
None		Letting
	RSP Sunset	Date:
y y		
		No)
Standard Sheets affected:		Letting
None	RSP Sunset	Date:
None	Thomas December 114	: F - ~ + i
	standard Drawing El	fective
	Croata BDI	O (No)
/		Letting
		cal Advisory
	1ecinit	Cal Advisory
	GIFE Update Req'd.?	O V N v
	By - Addition	
	Dy Hadreron	of Revibion
	requency Manual Ur	odate Req'd? Y N_x
	By - Addition	
	•	

Received FHWA Approval? Yes

SPECIFICATION REVISIONS

PROPOSAL TO STANDARDS COMMITTEE

PROBLEM(S) ENCOUNTERED: Based on questions arising on construction projects, there is a lack of clarity on the meaning of the word "adjacent" as it applies to standard drawing 801-TCDV-02, note no. 9, specifically regarding the requirement for a type C warning light.

PROPOSED SOLUTION: There is no such requirement in the MUTCD to use the type C light in the specified circumstance, the practice is rarely followed and the value of type C light has come into question by the 801/808 sub-committee. The proposal is to eliminate this requirement for the light and resultantly minimize the problem associated with the definition of "adjacent."

APPLICABLE STANDARD SPECIFICATIONS: n/a

APPLICABLE STANDARD DRAWINGS: 801-TCDV-02

APPLICABLE DESIGN MANUAL SECTION: n/a

APPLICABLE SECTION OF GIFE: n/a

APPLICABLE RECURRING SPECIAL PROVISIONS: n/a

Submitted By: Joe Novak (thru Ron Heustis)

Title: Construction Field Engineer

Organization: INDOT, Div. of Construction Management

Phone Number: 317-232-5081

Date: 11/19/08

APPLICABLE SUB-COMMITTEE ENDORSEMENT? Yes, 801/808 on 9/5/08.

Item No. 08-16-2 Mr. Heustis Date: 12/18/08

REVISION TO STANDARD DRAWING

801-TCDV-02 Channelizing Devices

COMMITTEE COMMENTS:

Mr. Uremovich brought up that Notes 7 and 10 should probably be moved to the Standard Specifications. This will be addressed in a future revision.

Mr. Dirks brought up that FHWA has concerns about the use of the term "adjacent". This is not an issue that needs to be addressed immediately, but ${\tt FHWA}$ will be bringing this up in the future.

Other sections	containing	Motion:	Mr. Heustis	
specific cross	references:	Second:	Mr. Reilman	
		Ayes:		
None	A Y	Nays:	0	
		Action:	Passed as submitted	
Recurring Speciaffected:	ial Provisions	20_	_ Standard Specifications B	ook
4			_ Create RSP (No	
None			EffectiveI	Jetting
			RSP Sunset Date:	
			_ Revise RSP (No)
Standard Sheets	affected:		EffectiveI	_etting
			RSP Sunset Date:	
801-TCDV-02				
		Standar	d Drawing Effective Sept. 1	, 2009
P			Create RPD (No.)
			EffectiveI	
			Technical Advisory	
		_	date Req'd.? Y N_x	
		Ву	- Addition or Revision	
		Frequen	cy Manual Update Req'd? Y	_ N_x
		Ву	- Addition or Revision	

Received FHWA Approval? Yes

GENERAL NOTES

- Unless otherwise specified, channelizing devices shall be spaced as shown on Standard Drawing E 801-TCLG-01.
- Reflectorized bands may be omitted from cones for lane closures during daylight hours.
 For vertical panels greater than 3 ff in height
 - ③ For vertical panels greater than 3 ft in height, the width of the stripes shall be 6 in.
- 4 Vertical panels used on an expressway or a freeway shall have a minimum reflective panel area of 270 sq. in. Other roadways with a posted speed limit of 50 mph or greater shall have a minimum reflective panel area of 270 sq. in., also.
- Cones shall have a minimum height of 2'-4" when used at night.
- The maximum distance between the edges of adjacent reflective sheeting strips shall be 2 in.
- Panel and direction indicator barricades and supports shall meet NCHRP 350 crash evaluation criteria.
- (8) Minimum flexible tubular marker base area shall be 0.3 sq. ft.
- 9) It is not necessary to delineate a drop-off of 3 in. or less adjacent to active travel lanes. Where channellizing devices are used to delineate drop-offs of 3 in. or less adjacent to active travel lanes, at least 33 in. of the device shall be above the adjoining pavement surface. Where channelizing devices are used to delineate a drop-off greater than 3 in. adjacent to active travel lanes, at least 27 in. of the device shall be above the adjoining pavement surface and a Type 6 warning light shall be attached to the top of the device (on the pavement side). In no case shall more than 9 in. of the device be below the adjoining pavement surface.
- 10. The proper orientation in respect to approaching vehicular traffic shall be maintained on vertical panels. Drums are the preferred channelizing device in a tight radius curve.

LEGEND

- O Device may be used in tangent set-ups.
- X Device may be used in taper or transition set-ups.
- X Devices may be used in two-way traffic set-ups to divide opposing lanes of traffic.
- Device may be used to divide two or more lanes of traffic in the same direction.
 Device may be used to replace barricades and drums
- O Device may be used to delineate edge of pavement drop-off where space is limited.

where space is limited.

CHANNELIZING DEVICES SEPTEMBER 2005 STANDARD DRAWING NO. E 801-TCDV-02 STANDARD DRAWING NO. E 801-TCDV-02 NO. NO. NO. A RECORD LANGE OF THE PARTY OF THE PARTY

SPECIFICATION REVISIONS

PROPOSAL TO STANDARDS COMMITTEE

PROBLEM(S) ENCOUNTERED: Std Spec 801.10.1 permits the use of the GREAT, cz unit manufactured by Energy Absorption Systems even though it is not NCHRP 350 compliant. This compliance requirement went into effect in 1998 for projects on the NHS. For economic reasons, INDOT has permitted the temporary continued use of this product but no expiration date has yet been established. It is believed that these units have not been commercially sold as new since 1998 and have been replaced by the QuadGuard product produced by the same manufacturer. Other states have already sunset the use of this product. It is estimated that only 40 units remain as usable in the state.

<u>PROPOSED SOLUTION:</u> Place an expiration date of 1/1/11 in the specifications. This should permit virtually any contract active prior to this change to complete and allow enough warning to allow contractors to prepare for the change.

APPLICABLE STANDARD SPECIFICATIONS: 801.10.1

APPLICABLE STANDARD DRAWINGS: n/a

APPLICABLE DESIGN MANUAL SECTION: n/a

APPLICABLE SECTION OF GIFE: n/a

APPLICABLE RECURRING SPECIAL PROVISIONS: n/a

Submitted By: Joe Novak (thru Ron Heustis)

Title: Construction Field Engineer

Organization: INDOT

Phone Number: 232-5081

Date: 11/3/08

APPLICABLE SUB-COMMITTEE ENDORSEMENT? Yes, 801/808 on 9/5/08 - Joe Novak, chair. It should be noted that ICA has requested an expiration date of 1/1/12 in order to coincide with the expiration of old temporary concrete barrier units; INDOT has preferred and chosen an expiration date of 1/1/11 since we are eager to use the safer product, believe that we are long overdue on an expiration date, and have no evidence this will be a hardship to the industry.

Item No. 08-16-3
Mr. Heustis
Date: 12/18/08

REVISION TO 2008 STANDARD SPECIFICATIONS

SECTION 801, BEGIN LINE 479, INSERT AS FOLLOWS:

801.10.1 Construction Zone Energy Absorbing Terminal, CZ

The construction zone energy absorbing terminal, cz shall have passed NCHRP 350 level 3 crash test for all Interstate and other construction sites having a construction zone speed limit in excess of 45 mph and level 2 for non-Interstate construction sites having a construction zone speed limit of 45 mph or less. All energy absorbing terminal, cz shall have redirect capabilities and shall be approved by the FHWA. A copy of the crash test results and a copy of the FHWA approval letter shall be furnished to the Engineer prior to the installation of the unit. The Contractor may also use the Guard Rail Energy Absorbing Terminal cz, manufactured by Energy Absorption Systems, Inc. *until January 1, 2011. All units of this type in use must shall be replaced with a compliant product immediately after this date regardless of the date of letting. No additional payment shall will be made for this replacement.*

N.	
Other sections containing	Motion: Mr. Heustis
specific cross references:	Second: Mr. Andrewski
	Ayes: 10
None	Nays: 0
	Action: Passed as revised
Recurring Special Provisions	_x_ 2010 Standard Specifications Book
affected:	<u></u>
	x Create RSP (No. 801-T-170)
None	Effective March 2009 Letting
	RSP Sunset Date:
7	Revise RSP (No)
Standard Sheets affected:	EffectiveLetting
y	RSP Sunset Date:
None	
	Standard Drawing Effective
	Create RPD (No)
	EffectiveLetting
	Technical Advisory
	GIFE Update Req'd.? Y N_x
	By - Addition or Revision
	by martin or nevision
	Frequency Manual Update Req'd? Y N_x
	By - Addition or Revision
	_
	Received FHWA Approval? Yes

SPECIFICATION REVISIONS

PROPOSAL TO STANDARDS COMMITTEE

PROBLEM(S) ENCOUNTERED: Box Truss Standards need to be updated to conform to 2008 AASHTO fatique design changes.

PROPOSED SOLUTION: Revise Standard Drawings for Box Trusses

APPLICABLE STANDARD SPECIFICATIONS: 910.19, 910.20

APPLICABLE STANDARD DRAWINGS: 802-SBTS-01 to 19

APPLICABLE DESIGN MANUAL SECTION: N/A

APPLICABLE SECTION OF GIFE: N/A

Submitted By: John Wright

Title: Roadway Services Manager

Organization: INDOT

Phone Number: 232-5147


Date: 11/20/08

Item No. 08-16-4

Mr. Wright
Date: 12/18/08

REVISION TO STANDARD DRAWINGS

					Plan and Elevation
802-SBTS	Sign-02	Sign Box	Truss	Structure	Table of Dimensions
		Spans 34	' thru	85′	
802-SBTS	Sign-03	Sign Box	Truss	Table of I	Dimensions
		Spans 86	' thru	130′	
802-SBTS	Sign-04				Truss Schedule
					Isometric Views
					Connections and Weld Details
					Aluminum Chord Details
					End Support Details
					Truss Connection Details
					Truss Connection Details
					Steel End Support Handhole
001 2212	21311 11	Details	11 000	2020000	Secon End Support Inflantices
802-SBTS	Sign-12		Truss	Structure	Steel End Support Base Details
					Steel End Support Base Details
					Interior Walkway Grating Plan
					Interior Walkway Grating
002 5515	Sign is	Details	11 455	beraceare	interior walkway Gracing
2TA2-CU8	Sian-16		Truce	Structure	Foundation at 33" Concrete
OUZ DDID	bign io	Barrier		beraceare	rodilation at 33 concrete
2TA2-CU8	Sian-17			Structure	Foundation at 45" Concrete
OUZ DDID	bign in	Barrier		beraceare	Toundation at 15 concrete
8U3_GBTG	Sian-18			Structure	Foundation at 36" Median or
002 5515	Sign io	Shoulder	II uss	beraceare	roundation at 30 Median of
8U3_GBTG	Sian-19		Тицаа	Structure	Spread Footing Quantities
OUZ DDID	bign ij	bigh box	11 455	beraceare	spread rooting Quantities
			A		
Other sect	ions con	taining	All I	Motion:	M
Other sect				Motion: Second:	
Other sect specific				Motion: Second: Ayes:	
		erences:	K	Second:	
specific o		erences:		Second: Ayes:	
specific o			1	Second: Ayes: Nays:	
specific (cross ref	erences:		Second: Ayes: Nays: Action:	M Withdrawn
None Recurring	cross ref	erences:		Second: Ayes: Nays: Action:	М
specific (cross ref	erences:		Second: Ayes: Nays: Action:	M Withdrawn Standard Specifications Book
None Recurring affected:	cross ref	erences:		Second: Ayes: Nays: Action:	M Withdrawn Standard Specifications Book Create RSP (No)
None Recurring	cross ref	erences:		Second: Ayes: Nays: Action:	Withdrawn Standard Specifications Book Create RSP (No) EffectiveLetting
None Recurring affected:	cross ref	erences:		Second: Ayes: Nays: Action:	M Withdrawn Standard Specifications Book Create RSP (No)
None Recurring affected:	cross ref	erences:		Second: Ayes: Nays: Action:20	Withdrawn Standard Specifications Book Create RSP (No) Effective Letting RSP Sunset Date:
None Recurring affected:	Special	erences:		Second: Ayes: Nays: Action:20	Withdrawn Standard Specifications Book Create RSP (No) Effective Letting RSP Sunset Date: Revise RSP (No) Effective Letting
None Recurring affected: None Standard S	Special	erences:		Second: Ayes: Nays: Action:20	Withdrawn Standard Specifications Book Create RSP (No) Effective Letting RSP Sunset Date:
None Recurring affected: None	Special	erences:		Second: Ayes: Nays: Action:20	Withdrawn Standard Specifications Book Create RSP (No) Effective Letting RSP Sunset Date: Revise RSP (No) Effective Letting RSP Sunset Date:
None Recurring affected: None Standard S	Special	erences:		Second: Ayes: Nays: Action:20	Withdrawn Standard Specifications Book Create RSP (No) Effective Letting RSP Sunset Date: Revise RSP (No) Effective Letting
None Recurring affected: None Standard S	Special	erences:		Second: Ayes: Nays: Action:20 Standard	Withdrawn Standard Specifications Book Create RSP (No) Effective Letting RSP Sunset Date: Revise RSP (No) Effective Letting RSP Sunset Date:
None Recurring affected: None Standard S	Special	erences:		Second: Ayes: Nays: Action:20 Standard	Withdrawn Standard Specifications Book Create RSP (No) Effective Letting RSP Sunset Date:) Revise RSP (No) Effective Letting RSP Sunset Date:
None Recurring affected: None Standard S	Special	erences:		Second: Ayes: Nays: Action:20 Standard	Withdrawn Standard Specifications Book Create RSP (No) Effective Letting RSP Sunset Date:) Revise RSP (No) Effective Letting RSP Sunset Date:) Unawing Effective Create RPD (No) Effective Letting
None Recurring affected: None Standard S	Special	erences:		Second: Ayes: Nays: Action:20 Standard	Withdrawn Standard Specifications Book Create RSP (No) Effective Letting RSP Sunset Date:) Revise RSP (No) Effective Letting RSP Sunset Date:
None Recurring affected: None Standard S	Special	erences:		Second: Ayes: Nays: Action:20 Standard	Withdrawn Standard Specifications Book Create RSP (No) Effective Letting RSP Sunset Date: Revise RSP (No) Effective Letting RSP Sunset Date: Create RPD (No) Effective Letting Technical Advisory
None Recurring affected: None Standard S	Special	erences:		Second: Ayes: Nays: Action:20 Standard GIFE Upd	Withdrawn Standard Specifications Book Create RSP (No) Effective Letting RSP Sunset Date:) Revise RSP (No) Effective Letting RSP Sunset Date:) Unawing Effective Create RPD (No) Effective Letting
None Recurring affected: None Standard S	Special	erences:		Second: Ayes: Nays: Action:20 Standard GIFE Upd	Withdrawn Standard Specifications Book Create RSP (No) Effective Letting RSP Sunset Date:) Revise RSP (No) Effective Letting RSP Sunset Date:) Unawing Effective Create RPD (No) Effective Letting Technical Advisory Latting Technical Advisory
None Recurring affected: None Standard S	Special	erences:		Second: Ayes: Nays: Action:20 Standard GIFE Upd By Frequence	Withdrawn Standard Specifications Book Create RSP (No) Effective Letting RSP Sunset Date: Revise RSP (No) Effective Letting RSP Sunset Date: Create RPD (No) Effective Letting Technical Advisory Create Req'd.? Y N Addition or Revision Ey Manual Update Req'd? Y N
None Recurring affected: None Standard S	Special	erences:		Second: Ayes: Nays: Action:20 Standard GIFE Upd By Frequence	Withdrawn Standard Specifications Book Create RSP (No) Effective Letting RSP Sunset Date: Revise RSP (No) Effective Letting RSP Sunset Date: Create RPD (No) Effective Letting Technical Advisory Letting Letting Addition or Revision
None Recurring affected: None Standard S	Special	erences:		Second: Ayes: Nays: Action:20 Standard GIFE Upd By Frequence	Withdrawn Standard Specifications Book Create RSP (No) Effective Letting RSP Sunset Date: Revise RSP (No) Effective Letting RSP Sunset Date: Create RPD (No) Effective Letting Technical Advisory Create Req'd.? Y N Addition or Revision Ey Manual Update Req'd? Y N
None Recurring affected: None Standard S	Special	erences:		Second: Ayes: Nays: Action:20 Standard GIFE Upd By Frequence	Withdrawn Standard Specifications Book Create RSP (No) Effective Letting RSP Sunset Date: Revise RSP (No) Effective Letting RSP Sunset Date: Create RPD (No) Effective Letting Technical Advisory Create Req'd.? Y N Addition or Revision Ey Manual Update Req'd? Y N
None Recurring affected: None Standard S	Special	erences:		Second: Ayes: Nays: Action:20 Standard GIFE Upo By Frequence By	Withdrawn Standard Specifications Book Create RSP (No) Effective Letting RSP Sunset Date: Revise RSP (No) Effective Letting RSP Sunset Date: Create RPD (No) Effective Letting Technical Advisory Create Req'd.? Y N Addition or Revision Ey Manual Update Req'd? Y N



	SECTION										T																								25 - 4"	27.0	74"-4"	24'-8"	25'	25'-4"	25'-8"	26'	26 -4	26'-8"	27	21-4	9- /7	07 L	7- 47
SECTIONS	PANEL LENGTH																										+	+						+	+	+	5,-7,	-	\vdash	Н	-		+	+	+	4-0	1	1/2	_
INTERIOR SECTIONS	NO. OF PANELS PER SECTION																																	,	+ 4	+ 4	+ 4	4	4	4	4	4	4	4	4 4	+ <	+ +	+ <	+
	NO. OF INT. SECTIONS		0	0	0	0		0	0 0	0 0	0 0	0	0	5 0	0		0	0	0	0	0	0	0	0	0	0	0	0	, ,	0	0	0	0	0		,			-	ı	,-			-					
	SECTION	35'-6"	36'-6"	18, -6,	193"	6-61	20 -3	20 -9	21 - 2	12 ,00	10,00	6-77	23 - 3	27 - 20 12 - 120	24,-0"	25'-3"	25'-9"	26'-3"	26'-9"	27'-3"	27'-9"	28'-3"	28,-9"	29'-3"	29'-9"	303	309	21.0	27 18	32'-9"	33'-3"	33,-9"	34'-3"	34'-9"	25-7	11-57	24'-7"	24'-11"	25'-3"	25'-7"	25'-11"	26'-3"	26'-7"	26'-11"	275	27. 11"	7, -11	20 - 07	30 -0 1/2
LIONS	PANEL	5,-6"	5'-8"	2 - 6	20-0	5-10	0.0	7-9	80 .0	0 -0	., 1 , 7	7/11-0	5 2 7	2/ 4-6	5'-7 1/9"	2,00,1	5'-10 1/2"	1, 19	6'-1 1/2"	63"	6'-4 1/2"	_99	5'-3 3/4"	5'-4 3/4"	5,-6"	5-7 1/4"	5-81/2	2/1 6-9	4/6 01-6	6'-1 1/4"	6'-2 1/2"	6'-3 3/4"	6'-5"	6,-6	4.0	0 4	5-7"		5"-9"	5'-10"	5'-11"	.,9	6-1 "	6'-2"	6-5	6-4	0-0	6 7 2 /4"	5/0 /-0
EXTERIOR SECTIONS	VARIABLE END DIMEN.	.9	.9	.9	9 8	9	0 8	٥	0 0	0 "4	0 *0	0 !	9 .	0 *3	2 0	. "	2,0	***	*9	.9	*9	.9	5 1/4"	6 1/4"	9		5 1/2	7/19	4/10	5 3/4"		5 1/4"	5.	9	9 %	0 *3	0,*0	.9	.9	.9	.9	.9	.9	.9	9 %	يا م	ه م		5 5/4
	NO. OF EXT. PANELS PER SEC.	9	9	m 1	20 10	2 1	2 2	0 14	2 2	2 4	7		+ <	7	7	7	4	4	4	4	4	4	5	2	2	Ω .	C u	0 4) u	2 60	2	2	5	S,	4 7	+ 4	4	7	4	4	4	4	4	4	4 .	4 4	t 4	+ 4	2
	NO. OF EXT. SEC.	-		2	7 0	7	7	7 6	7 0	7 6	2 6	7 0	7 0	۷ (2	0	2	2	2	2	2	2	2	2	2	7	7 0	7 6	7 0	2 2	2	2	2	2	7	7	2	2	2	2	2	2	2	2	7	7	7	2 0	4
	SPAN-TRUSS LENGTH, (FT)		35	36	3/	92	80	1,40	40	7.5	24		45	27	- 67	49	20	51	52	53	54	25	56	57	200	25 52	00	0	20	64	65	99	67	68	60	2.2	72	73	74	75	76	77	78	79	99	83	83	20	+0

John C. Maner 07/18/08

DESIGNED: JOHN

OCTOBER 2008

E 802-SBTS-02

DRAWING NO.

INDIANA DEPARTMENT OF TRANSPORTATION

SIGN BOX TRUSS STRUCTURE TABLE OF DIMENSIONS SPANS 34" thru 85"

NOTES:

- The table of dimensions for sign box trusses is divided and put on two Standard Drawings. The tables shows dimensions with all section requirements accounted for. For span lengths of 86' thru 130' see Standard Drawing E 802-S815-03.
- All panels on a truss shall be the same length. The minimum panel length for all trusses is 5'-0" and the maximum is 6'-6".
 A single interior unit in a truss shall have an even number of panels to maintain the pattern of the vertical diagonals.
- 4. Use minimum number of sections for each truss. Keep the maximum section length at $35^{\circ}-6^{\circ}.$
- 5. See Standard Drawing E 802-SBTS-03 for required comber.


NOTES:	1. Camber of	comber	36'. Carr	pool on		2. See Stan	other no	9	3. Allowable								_	•													=														
		SECTION	25'-2"	255"	25'-8"	26,	264"	267"	26'-10"	27'-2"	27,-5	27'-9"	28,	24'-6"	24,-9"	25,	25'-3"	25'-6"	25,-9"	26,	26'-3"	26'-6"	26'-9"	27,	27'-3"	27'-6"	27'-9"	28,	283	28-5 1/2	28 -9 1/4	29-3 1/2	296"	29'-8 1/2"	30'-1/4"	30-2 3/4	30'-6 1/2"	30,-6"	30'-11 1/2'			31.	32,	32'-2 1/2"	20, 0 4 /48
(.	SECTIONS	PANEL LENGTH	5'-9 1/2"	5'-10 1/4"	5'-11"	6,	61"	6'-1 3/4"	6'-2 1/2"	6'-3 1/2"	6'-4 1/4"	6'-5 1/4"	6-6"	5'-7 1/2"	5'-8 1/4"	59.	5'-9 3/4"	5'-10 1/2"	5'-11 1/4"	,9	6'-3/4"	6'-1 1/2"	6'-2 1/4"	6'-3"	6'-3 3/4"	6'-4 1/2"	6'-5 1/4"	6"-6"	5-3	5'-3 1/2"	5-4 1/4	5'-5 1/2"	5,-6"	5'-6 1/2"	5'-7 1/4"	5'-7 3/4"	5'-8 1/2"	5'-9"	5'-9 1/2"	5'-10 1/4"	5'-10 3/4"	5'-11 1/2"	,9	6'-1/2"	F. 4 4 /4W
thru 130"	INTERIOR	NO. OF PANELS PER SECTION	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	s i		n u	2 10	S	C)	5	2	5	ഹ	2	5	5	2	5	5	4
SES (86'		NO. OF INT.	-	-	-	1	1	-	-	-	-	-	-	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2 0	7	2 2	2	2	2	2	2	2	2	2	2	2	2	2	c
BOX TRUSSES		SECTION	31'-2"	31'-6 1/2"	31'-11"	32'-3"	32'-7"	32'-11 1/2"	33'-4"	33°-8"	34'-1/2"	34'-4 1/2"	34'-9"	24'-9"	25,	25'-3"	25'-6"	25'-9"	26'	26'-3"	26,-6"	26'-9"	27,	27'-3"	27'-6"	27,-9"	28,	28'-3"	28'-6"	28'-9 1/2"	28 - 11 3/4	29-5 1/4	29'-9"	29'-10 1/2"	30'-2 3/4"	30'-6 1/4"	30'-8 1/2"	31,	31'-3 1/2"	31'-5 3/4"	31'-9 1/4"	31' -11 1/2"	32'-3"	32'-6 1/2"	11/1 11/10
SIGN	SNOIL	PANEL	5'-9 1/2"	5'-10 1/4"	5'-11"	6,	6'-1"	6'-1 3/4"	6'-2 1/2"	6'-3 1/2"	6-4 1/4"	6'-5 1/4"	.99	5'-7 1/2"	5'-8 1/4"	5,-8	5'-9 3/4"	5'-10 1/2"	5'-11 1/4"	.0	6'-3/4"	6-1 1/2	6'-2 1/4"	6'-3"	6'-3 3/4"	6'-4 1/2"	6'-5 1/4"	9-,9	5-3	5'-3 1/2"	5-4 1/4	5'-5 1/2"	5,-6"	5'-6 1/2"	5'-7 1/4"	5'-7 3/4"	5'-8 1/2"	5,-9"	5'-9 1/2"	5'-10 1/4"	-10 3/4"	5'-11 1/2"	, 9	6'-1/2"	8.7
S FOR	EXTERIOR SECTIONS	VARIABLE END DIMEN.	5 1/2"	6 1/4"	7"	9	5.	5 3/4"	6 1/2"	5 1/2"	6 1/4"	5 1/4"	9	9	9	9	9	9	9	9	9	9	9	.9	9	9	9	9	. 9		5 1/2	5"	9	5	5 1/2"	6 1/2"	5.	9	7"		6 1/2"	2	9		1101 - 2
DIMENSIONS	EXT	NO. OF EXT.		2	S	5	5	2	S	5	ഗ	5	S	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	2	2	n u	2 10	S	r)	5	5	2	2	2	5	5	5	5	2	ш
		NO. OF EXT. SEC.		2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	7	2	2	2	2	2	2	2	2	2	2	2	2	2	c

diagrams to build trusses with 2 to 4 sections are shown. Use 1 k" at midspan for all truss spans of 36' through 100' and 3" for all spans of 101' through 130'. Camber is not required for spans less than unber shown is for fabrication only measured with truss fully supported, condition.

SPAN SPAN-TRUSS LENGTH, (FT) 86

87 89 89 89 90 91 92 93

- andard Drawing E 802-BSTS-02 for truss spans of 34° to 85° and rates.
- le camber talerance for truss is 25% of specified camber value.



John C. Manere 07/16/08
DATE DESCON ENCHORES

C. M.O. 1736 1736 STATE OF DEATH OF DEA

204

E 802-SBTS-03

OCTOBER 2008

DRAWING NO.

21

115

113

1118

121

122 124 125 126 127 128 130

W 10 x 68 W-BEAM W 8 x 58 0.500 0.500 0.593 0.500 0.562 Ĭ≅ COLUMN END SUPPORT MEMBERS 14.00 14.00 14.00 18.00 18.00 DIA. 0.500 0.375 0.375 0.500 0.593 불론 DIAGONAL 8.00 8.00 ĕ. Z 5.00 7.00 8.00 0.220 0.220 0.220 0.220 0.220 Ĭ HORIZONTAL P. S. 2.00 2.00 2.00 2.00 2.00 0.375 0.500 0.500 0.500 0.375 Ĕ≅ HORIZONTAL DIAGONAL 4.00 4.00 4.00 4.00 4.00 ĕ Z SIGN BOX TRUSS SCHEDULE 0.500 0.375 0.500 0.500 0.500 돌 VERTICAL DIAGONAL 3.00 3.00 3.00 3.00 3.00 N. TRUSS MEMBERS 0.188 0.188 0.188 0.188 0.25 불론 HORIZONTAL 2.00 2.50 2.50 PA N 2.50 2.50 0.250 0.250 0.188 0.250 0.250 ¥≅ VERTICAL 2.50 2.50 2.50 2.50 2.50 ĕ Z 0.375 0.500 0.250 0.375 0.375 Ž≅ CHORD 6.00 6.50 7.00 7.00 7.00 ĕ Zi MAX MOUNTING HEIGHT 28' - 6" 28' - 6" 28' - 6" 28' - 6" 28' - 6" E SPAN 130 100 130 100 130 ᇤ SQ. FT. MAX. SIGN AREA 200 900 700 TRUSS TYPE ⋖ ω O ш

1. For dimensions and members locations see Standard Drawings E 802-SBTS-01 thru 03.

2. Material: Box Truss: End Supports:

3. For base plate and anchor bolt details see Standard Drawings E 802-SBTS-12 & 13.


4. See Standard Drawing E 802-SBTS-03 for camber diagram.


5. See Standard Drawing E 802-SBTS-16 thru 19 for foundation details.


INDIANA DEPARTMENT OF TRANSPORTATION OCTOBER 2008 E 802-SBTS-04 John C. Maneer 57/18/08 SIGN BOX TRUSS STRUCTURE TRUSS SCHEDULE No. 17361 DRAWING NO.





DESIGNED: JCM






































DRAWING NO. EPOXY COATED REINFORCING CONCRETE CLASS "A" (CYS) MISCELLANEOUS NO. OF BARS

FOUNDATIC	ON AT 45" CO	FOUNDATION AT 45" CONCRETE BARRIER WALL	IR WALL
86	OXY COATE	EPOXY COATED REINFORCING	
SIZE &	NO. OF	(FT & IN)	WEIGHT
MINNI	CANCO	Value of the Value	(600)
報	33	7 8	
TOTAL #4			159
501	31	4. 3"	
502	62	30	
₩2V	62	1 6"	
#2#	23	298"	
TOTAL #5			1574
TOTAL EPO	W COATED!	TOTAL EPOXY COATED REINFORCING	1733
	CONC	CONCRETE	
CONCRETE .	CLASS "A" (CYS)	CYS)	37.6
	MISCELL	MISCELLANEOUS	
SURFACE SEAL (SYS)	SAS) (SAS)		34.3

#4 TOTAL #4 SIZE & MARK

FOUNDATION AT 36" MEMAN OR SHOULDER

FOUNDATIC	NAT 35" CO	FOUNDATION AT 33" CONCRETE BARRIER WALL	ER WALL
в	OXY COATE	EPOXY COATED REINFORCING	
SI压 %	NO. OF	LENGTH	WEIGHT
MARK	BARS	(FL & N.)	(IBS.)
埑	હ	7 8"	
TOTAL #4			159
501	8	4 2"	
502	62	3. 9.	
\G#	62	.9 9	
#QT	23	8	
TOTAL #5			1447
TOTAL EPO	WY COATED	TOTAL EPOXY COATED REINFORGING	1606
	CONC	CONCRETE	
CONCRETE	CONCRETE, CLASS "A" (CYS)	CYS)	34.1
	MISCELL	MISCELLANEOUS	
SURFACE SEAL (SYS)	EAL (SYS)		27.6



INDIANA DEPARTMENT OF TRANSPORTATION

Driving Indiana's Economic Growth

Design Memorandum No. 08-__ Technical Advisory

November, 2008

TO:	All Design, Operations, and District Personnel, and Consultants
FROM:	
	Anthony L. Uremovich
	Design Resources Engineer
	Production Management Division
SUBJECT:	Overhead Box Truss Sign Structures and foundations
NEW STAN	DARDS
DRAWINGS	S: INDOT Standards drawings October 2008 No E 802-SBTS-01 to 19
SUPERCED	ES: INDOT Standards drawings to 2005 No 802-SNOH-01 to 16 and
	INDOT Standards drawing March 2003 No 802-SNBF-01 to 07
EFFECTIVI	E:, 2009, Letting

The Overhead Box Truss Structures and their foundations have been redesigned based on the AASHTO *Standard Specifications for Structural Supports for Highway Signs, Luminaries, and Traffic Signals, 4th Edition,* including 2006 Interims. All box trusses are aluminum while all end support columns are steel. Standard Design Types: A, B, C, D, and E are provided for certain combinations. New and redesigned, box truss structures have been developed for use with certain combinations of sign areas, spans lengths and heights.

I. Overhead Box Trusses

All aluminum standard box trusses are designated as:

Overhead Box Truss Structure, Type A

Overhead Box Truss Structure, Type B

Overhead Box Truss Structure, Type C Overhead Box Truss Structure, Type D Overhead Box Truss Structure, Type E

Standard designs Type A to Type E are provided for combinations of maximum sign areas of 500, 700 and 900 sft and maximum spans of 100 ft and 130 ft. They are built up from Exterior Sections and Interior Sections and their number varies depending on the required spans length Minimum number of sections shall be used for each truss keeping the maximum section length 35'-6". A single Interior Section in a truss shall have an even number of panels to maintain the pattern of vertical diagonals. All standard box truss width has been established at 6'-6". All panels on the truss shall be the same length; the minimum panel length for all trusses is 5'-0 and maximum 6'-6". The details are shown on INDOT *Standard Drawings* 802-SBTS-series.

If a particular structure does not fit within the parameters of any of the standards Type A-E a special design shall be provided by the designer.

II. Overhead Box Truss Supports

End Support Members are steel tubes spaced 9'-0. The required sections of steel tubes are tabulated and depend on maximum sign area and span of the truss. Maximum mounting heights assumed for calculation is 28'-6". The details are shown on new INDOT *Standard Drawings*.

III. Spread Footing

Spread footing design is provided for 33" and 45" Concrete Barrier and 36" Median or Shoulder Barrier for allowable soil bearing pressure: 1500, 2500, 3500 psf. If the allowable gross soil bearing capacity is less than 1500 psf, the designer shall provide a special foundation design and submit design calculations for review and approval. The results of calculations for soil bearing pressures above 3500 psf are not controlled by the bearing capacity of the soil but for overturning stability and require special design. The details of standard footings are shown on new INDOT *Standard Drawings* 802-SBTS-series.

The designer shall request a geotechnical investigation at the preliminary field check for each project requiring box trusses.

IV. Design Parameters

Structure Design

The overhead sign truss structures and their supports are design using allowable stress (ASD) approach in accordance with ASSHTO Specification and the following design parameters:

90 mph wind

50 years service life

Wind Importance Factor Ir = 1

Gust Effect Factor G = 1.14

Drag Coefficients, Cd:

The sign height is assumed as 20 ft but length varies based on the sign area under consideration.

Signs Cd = 1.2, based on L/W = 5 (where L is longer dimension of the attached sign)

Truss members Cd = varies 1.1 to 1.2 as in Table 3-6, Section 3 of Specs

Fatigue Category I – Truck and Natural Wind gust loads only

Fatigue Importance Factor, $I_f = 1$

Overhead sign structures were analyzed for four loads: dead, wind, ice and fatigue.

Dead load for the materials used is as follow:

Aluminum -169 lbs/ft^3 Steel -490 lbs//ft^3

Traffic message sign - 2.48 lb/ft (aluminum extruded panels (12" typical)

The most common spans for sign trusses are 80', 100', and 130', five different sign areas are identified as most often used; 500, 600, 700, 800, and 900 sft, and two mounting heights are most often needed 26'-6" and 28'-6". However, the changes in member sizes were not significant enough to keep all the different design in use. The final design and analysis is performed for

3 sign areas: 500, 700 900 sft Two spans lengths: 100, 130 ft One mounting height: 28'-6"

Gusset plates have been used at the horizontal and horizontal diagonal member connections to the chords where the calculations indicate the critical fatigue stress range for the member sizes used.

The interior walkway is added to all the box trusses with the maximum weight of 5 psf.

Maximum stresses in the members were checked against the allowable stresses for two locations of the sign: sign located nearest to the column and sign located at the center of the span. Those two locations are considered the worst loading conditions for checking columns, chords and bracing members.

V. Determining Standard Footing Item

Standard spread footing should be shown on the plans using the following pay item format:

Box Truss Sign Structure Foundation,		EACH
	TVDE	

The pay item names should be one of the following designations: 33" Concrete Barrier Wall, 45" Concrete Barrier Wall, and 36" Median or Shoulder.

These three foundations will cover all type of box trusses to 130' span and a maximum of 900 square foot.

Item No. 08-16-5

Mr. Wright Date: 12/18/08

REVISION TO 2008 STANDARD SPECIFICATIONS

SECTION 910, BEGIN LINE 1163, DELETE AND INSERT AS FOLLOWS:

910.19 Overhead Sign Structures

The complete structure with signs in place shall be able to withstand wind pressure in accordance with AASHTO specifications for the Design and Construction of Structural Supports for Highway Signs Standard Specifications for Structural Supports for Highway Signs, Luminaires and Traffic Signals. The structure shall be designed to resist movement by the wind which might contribute to the fatigue of the material in accordance with the AASHTO specifications.

SECTION 910, BEGIN LINE 1187, DELETE AND INSERT AS FOLLOWS:

(a) Aluminum Overhead Sign Structures, Box Truss and Bridge Attached Extruded tubes shall be of aluminum in accordance with ASTM B 221 (B 221M), B 241 (B 241M), or B 429, alloy 6061-T6. Anchor base castings shall be of aluminum in accordance with ASTM B 26 (B 26M) or B 108, alloy 356.0-T6. All other castings shall be of aluminum in accordance with ASTM B 26 (B 26M), alloy 356.0-T6. Plates shall be of aluminum in accordance with ASTM B 209 (B 209M), alloy 6061-T6. Plates shall be free of sharp edges and irregularities.

Welding material and procedures shall be in accordance with 803 and applicable AWS provisions.

Bolts, nuts, screws, and flat washers shall be passivated type 304 stainless steel. Bolts and screws shall be in accordance with ASTM A 193 (A 193M), grade B8. Hexagon nuts and washers shall be in accordance with ASTM A 194 (A 194M), grade 8. Where high-strength bolts are indicated on the plans for chord splice connections, bolts and nuts shall be in accordance with 910.02(f) and shall be galvanized in accordance with AASHTO M 232.

Anchor bolts, *nuts and washers* shall be in accordance with ASTM A 307 F 1554. A hexagon nut, leveling nut, and flat washer in accordance with ASTM A 307, grade A, shall be furnished with each anchor bolt. Threaded Top ends of anchor bolts and associated hardware, *as shown on the plans*, shall be coated in accordance with ASTM A 153 or be mechanically galvanized and conform to the coating thickness, adherence, and quality requirements of ASTM A 153, class C.

Certified proof of the qualifications for a minimum of two welders shall be presented after the contract is awarded and before fabrication is started. This certification shall be from a commercial or public testing laboratory and qualifications shall be based on welding of aluminum alloy, 6061-T6 with consumable electrode type welding using aluminum alloy ER4043 ER5356 filler material. Welders shall qualify by passing the requirements of "Procedure and Performance Tests of Qualification Standard for Welding Procedures, Welders, and Welding Operations", latest edition, formulated by the Boiler and Pressure Vessel Committee of the American Society of Mechanical Engineers.

SECTION 910, BEGIN LINE 1227, DELETE AND INSERT AS FOLLOWS:

(b) Steel Overhead Sign Structures, Box Truss, Cantilever, Monotube, and Bridge Attached

Steel sections used for upright members, cross beams, or horizontal members shall be either tapered or constant cross section tubular members as specified herein. The tubular members may be either circular or multi-sided.

Box truss and bridge attached structures shall be fabricated from constant cross section tubular steel in accordance with ASTM A 53, type E or S, grade B (minimum yield strength of 35,000 psi). Constant cross section tubular steel with greater yield strength may be used, with written approval. However, structural dimensions must remain as shown on the plans. Structures shall be galvanized after fabrication in accordance with ASTM A 123.

SECTION 910, BEGIN LINE 1266, DELETE AND INSERT AS FOLLOWS:

Gusset, flange, and base plates shall be in accordance with ASTM A 36 (A 36M) and shall be galvanized after fabrication in accordance with ASTM A 123. Base plates for upright poles shall develop the full strength of the poles. Castings for the vertical pole top and horizontal arm and cap shall be in accordance with ASTM A 126 and shall be galvanized with a minimum coating of 2 oz/sq ft (610 g/m²). Bolts, except anchor bolts, and nuts shall be in accordance with ASTM A 307 or high-strength bolts as shown on the plans. Two nuts for use in plumbing upright poles shall be furnished with each anchor bolt. Anchor bolts, except for box truss structures, shall be in accordance with ASTM A 675, grade 90 (A 675M, grade 620); ASTM A 576 modified to 55,000 psi (379 MPa) minimum yield strength; or ASTM A 307, grade A modified to 55,000 psi (379 MPA) minimum yield strength. Anchor bolts for box truss structures shall be in accordance with 910.19(a). Steel bolts, nuts, washers, and threaded the top ends of anchor bolts shall be coated in accordance with ASTM A 153 or be mechanically galvanized and conform to the coating thickness, adherence, and quality requirements of ASTM A 153, class C. Welding shall be in accordance with 711.32.

Item No.08-16-5(contd.)

Mr. Wright Date: 12/18/08

REVISION TO 2008 STANDARD SPECIFICATIONS

SECTION 910, CONTINUED.

Other sections containing	Motion: M
specific cross references:	Second: M
	Ayes:
	Nays:
910.19	
802.02 Pg 629	
010 10/2)	
910.19(a) 910.19(b) Pg 798	
510.15(b) Fg 750	
910.19(b)	
920.01(a)7 Pg 861	
	Action: Withdrawn
Recurring Special Provisions	20 Standard Specifications Book
affected:	
	Create RSP (No)
None	EffectiveLetting
	RSP Sunset Date:
y y	Revise RSP (No)
Standard Sheets affected:	EffectiveLetting
	RSP Sunset Date:
None	
y	Standard Drawing Effective
	Create RPD (No)
	EffectiveLetting
	Technical Advisory
	CIEE Indata Doorld 2 V N
	GIFE Update Req'd.? Y N By - Addition or Revision
	by Addition of Revision
	Frequency Manual Update Req'd? Y N
	By - Addition or Revision
	Received FHWA Approval?
	ΔΔ